| | | <u> </u> | | |
|---|------|---|--|---------------------|
| | Hits | search Text | D3s | Time Stamp |
| 1 | 25 | transposon with vector with homologous adj recombination | TICDAT | 2003/01/17 13:09 |
| 2 | 0 | transposon near5 (polynucleotide or construct) with vector with homologous adj recombination | TICDAT | 2003/01/17 13:10 |
| 3 | 0 | transposon near5 (polynucleotide or construct) with (vector or plasmid) with homologous adj recombination | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/17 13:11 |

| | Hits | Search Text | Bs | Time Stamp |
|---|------|---|--|---------------------|
| 1 | 25 | transposon with vector with homologous adj recombination | USPAT | 2003/01/17 |
| 2 | 0 | transposon near5 (polynucleotide or construct) with vector with homologous adj recombination | USPAT | 2003/01/17 13:10 |
| 3 | 0 | transposon near5 (polynucleotide or construct) with (vector or plasmid) with homologous adj recombination | USPAT; US-PGPUB; EPO; JPO; DERWENT | 13:11 |
| 4 | 2258 | homologous adj recombination and ((adapter or flanking) adj sequence?) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/24 10:42 |
| 5 | 220 | homologous adj recombination with ((adapter or flanking) adj sequence?) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/24 10:42 |
| 6 | 3 | 12 and (enzyme-free or ((free or without) near3 enzyme)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/24 10:43 |
| 7 | 40 | 12 and negative adj selection | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/24 10:44 |

| | Hits | Search Text | Bs | Time Stamp |
|---|------|---|--|---------------------|
| 1 | 25 | transposon with vector with homologous adj recombination | USPAT | 2003/01/17 13:09 |
| 2 | 0 | transposon near5 (polynucleotide or construct) with vector with homologous adj recombination | TICIDATI | 2003/01/17 13:10 |
| 3 | 0 | transposon near5 (polynucleotide or construct) with (vector or plasmid) with homologous adj recombination | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/01/17 13:11 |